

OUTBACK

(20)

T.

0B-8629

SPECIFICATIONS

				Symmetrical AWD (All-Wheel Drive)				
			2.5i-PREMIUM	2.5i-LIMITED EyeSight	2.5i-FIELD EyeSight			
ltem				2.5L Direct Injection				
				Lineartronic				
ngine								
Туре			Horizontally opposed, 4-cylinder, 4-stroke, petrol engine					
				DOHC 16-valve				
Bore/Stroke		mm		94.0 × 90.0				
Capacity		сс		2498				
Compression ratio				12.0				
uel system		lit.		Direct fuel injection				
uel tank capacity erfomance		III.		63				
Max. output (DIN)		kW (PS) / rpm		138 (188) / 5,800				
Max. torque (DIN)		Nm (kgfm) / rpm		245 (25.0) / 3,400 - 4,600				
Max. speed		km/h		206				
Acceleration (0-100 km/h)		sec.		9.6				
	Urban	lit./100 km		9.3				
uel consumption*1	Extra-urban	lit./100 km		6.2				
	Combined	lit./100 km		7.3				
	Urban	g/km		213				
CO2 emissions*1	Extra-urban	g/km		142				
	Combined	g/km		168				
ivetrain		5						
All-Wheel Drive type				Active Torque Split AWD system				
mensions & weight								
Overall length mm				4870				
Overall width mm				1875				
Overall height		mm		1675	1670			
Vheelbase		mm		2745				
rack	Front	mm	1570					
	Rear	mm		1600				
Ainimum road clearance (at kerb weight)		mm		213				
argo volume*2 lit.				1783 / 1711*3				
Seating capacity		persons		5				
Kerb weight		kg	1639	1646	1661			
ansmission	Dana na (Lia canta a in	<u>, </u>		4.066 - 0.503				
	D range (Lineartronic)		4.066 (Manual mode)				
	2nd		4.066 (Manual mode) 2.628 (Manual mode)					
	3rd		1.911 (Manual mode)					
	4th			1.490 (Manual mode)				
ear ratio	5th			1.166 (Manual mode)				
	6th			0.914 (Manual mode)				
	7th			0.717 (Manual mode)				
	8th			0.559 (Manual mode)				
	Reverse		4.379					
inal drive axle ratio			3.900					
assis								
teering				Rack and pinion, electric power steering system				
	Front			MacPherson strut type				
Suspension (4-wheel independent)	Rear			Double wishbone type				
Ainimum turning circle at tyre (radius)		m		5.5				
	Front			Ventilated disc brakes				
Brakes	Rear			Ventilated disc brakes				
Γyre/wheel size				225/60R18, 18×7"J				

*1 Fuel consumption and CO2 emissions: according to UN R101-01. *2 Measured by VDA (V214). *3 Measurement with Sunroof.

Vehicle kerb weight varies according to the types of optional equipment included. Specification data and model lineup may vary according to market.

SPECIFICATIONS

				Symmetrical AWD (All-Wheel Drive)		
Item			2.5i-GEYSER EyeSight	2.5i-TOURING EyeSight	2.4R-XT TOURING EyeSigh	
(em			2.5L	Direct Injection	2.4L Direct Injection Turbo	
				Lineartronic		
ngine						
Гуре				Horizontally opposed, 4-cylinder, 4-stroke, petrol er	igine	
Bore/Stroke				DOHC 16-valve 94.0 × 90.0	94.0 × 86.0	
Capacity		mm		2498	2387	
Compression ratio		сс		12.0	10.6	
Fuel system					10.8	
uel system uel tank capacity		lit.		Direct fuel injection 63		
erfomance				03		
fiomance fax. output (DIN)		kW (PS) / rpm	13	8 (188) / 5,800	183 (249) / 5,200 - 6,000	
Aax. torque (DIN)		Nm (kgfm) / rpm		5.0) / 3,400 - 4,600	350 (35.7) / 2,000 - 4,800	
Aax. speed		km/h	243 (23	206	221	
Acceleration (0-100 km/h)		sec.		9.6	7.5	
	Urban	lit./100 km		9.3	12.0	
uel consumption*1	Extra-urban	lit./100 km		6.2	7.3	
	Combined	lit./100 km		7.3	9.0	
	Urban	g/km		213	270	
O2 emissions*1	Extra-urban	g/km		142	166	
02 01113310113	Combined	g/km		168	204	
ivetrain	Combined	9/ KIII		100	204	
II-Wheel Drive type				Active Torque Split AWD system		
mensions & weight						
Dverall length		mm		4870		
Overall width		mm	1875			
)verall height		mm	1670	10	675	
Vheelbase		mm		2745		
	Front	mm		1570		
rack	Rear	mm		1600		
1inimum road clearance (at kerb weight)		mm		213		
Cargo volume* ²		lit.		1711		
Seating capacity		persons		5		
erb weight		kg	1668	1669	1758	
nsmission		~				
	D range (Lineartronic)			4.066 - 0.503	3.229 - 0.468	
	1st			6 (Manual mode)	3.229 (Manual mode)	
	2nd			8 (Manual mode)	2.310 (Manual mode)	
	3rd			1 (Manual mode)	1.654 (Manual mode)	
ear ratio	4th		1.49	0 (Manual mode)	1.278 (Manual mode)	
earrado	5th		1.160	6 (Manual mode)	0.985 (Manual mode)	
	6th		0.914	4 (Manual mode)	0.768 (Manual mode)	
	7th		0.71	7 (Manual mode)	0.604 (Manual mode)	
	8th		0.55	9 (Manual mode)	0.468 (Manual mode)	
	Reverse			3.139		
inal drive axle ratio				3.900	4.111	
assis		· · · · · · · · · · · · · · · · · · ·				
eering				Rack and pinion, electric power steering system		
(A wheel independent)	Front			MacPherson strut type		
uspension (4-wheel independent)	Rear			Double wishbone type		
linimum turning circle at tyre (radius)		m		5.5		
	Front			Ventilated disc brakes		
Brakes	Rear			Ventilated disc brakes		
				225/60R18, 18×7"J		

*1 Fuel consumption and CO2 emissions: according to UN R101-01. *2 Measured by VDA (V214).

Vehicle kerb weight varies according to the types of optional equipment included. Specification data and model lineup may vary according to market.

STANDARD AND OPTIONAL FEATURES

Item		2.5i-LIMITED EyeSight	2.5i-FIELD EyeSight	2.5i-GEYSER EyeSight	2.5i-TOURING EyeSight	2.4R-XT TOURING EyeSight
		2.5L I	Direct Inje	ection		2.4L Direct Injection Turbo
Exterior						
LED Headlamps with Auto-leveliser	•	•	٠	•	•	•
LED Front Fog Lamps	•	•	٠	•	•	-
Hexagonal LED Front Fog Lamps	-	-	-	-	-	•
LED Rear Combination Lamps	•	•	٠	•	•	•
LED Rear Fog Lamp	•	•	٠	•	•	•
Power-folding Door Mirrors	•	•	٠	-	-	-
Key-linked Folding Door Mirrors	-	-	-	•	•	•
UV Protection Glass: Front and Rear Side Windows, Rear Quarters and Rear Window	•	•	•	•	•	•
18-inch Aluminium-alloy Wheels (dark gray)	•	•	-	-	-	-
18-inch Aluminium-alloy Wheels (dark metallic)	-	-	•	•	-	-
18-inch Aluminium-alloy Wheels (machined)	-	-	-	-	•	•
High Gloss Black Front and Rear Bumper Guards	•	-	•	•	-	-
Silver-plated Front and Rear Underguards	-	•	-	-	•	•
Side Claddings	●* ¹	●*1	● * ²	●* ²	● *1	● *1
Power-sliding, Tilt-adjustable Glass Sunroof	-	Option	٠	•	•	•
Roof Rails	-	-	٠	•	-	-
Cross Bar Roof Rails	•	•	-	-	•	•
Roof Spoiler	•	•	٠	-	•	•
Roof Spoiler (crystal black)	-	-	-	•	-	-
Rear Garnish	•	•	•	-	•	•
Rear Garnish (crystal black)	-	-	-	•	-	-
Rear Badging (XT)	-	-	-	-	-	•

Standard on all models:

• Auto On/Off Headlamps • Pop-up Type Headlamp Washers • Variable Intermittent Windshield Wipers • Automatic Rain-sensing Windshield Wipers • Intermittent Rear Window Wiper

Seating / Trims						
Leather-wrapped Steering Wheel with Silver Stitching	•	•	-	-	-	-
Smooth Leather-wrapped Steering Wheel with Silver Stitching	-	-	•	•	•	•
Leather-wrapped Gearshift Knob	•	•	•	•	•	•
Heated Steering Wheel	-	-	-	-	Option	-
Fabric Seats	•	•	-	-	-	-
Polyurethane Seats	-	-	•	-	-	-
Nappa Leather Seats	Option	Option	-	•	•	•
10-way Power-adjustable Driver's Seat with Lumbar Support	•	•	•	•	•	•
Driver's Memory Seat-linked Door Mirrors with Reverse Auto-tilt	-	-	-	•	•	•
Driver's Seat with Length-adjustable Seat Cushion	-	-	-	•	•	٠

Item	2.5i-PREMIUM	2.5i-LIMITED EyeSight	2.5i-FIELD EyeSight	2.5i-GEYSER EyeSight	2.5i-TOURING EyeSight	2.4R-XT TOURING EyeSight
		2.5L	Direct Inje	ection		2.4L Direct Injection Turbo
8-way Power-adjustable Front Passenger's Seat	•	•	•	•	•	•
60/40-split Folding Rear Seatbacks	•	•	•	•	•	•
Reclining Rear Seatbacks	•	•	•	•	•	•
One-touch Folding Rear Seatbacks	•	•	•	•	•	•
Adjustable Front Headrests		•	•	•	•	•
Divided Seatback Pockets (behind both front seats)	•	•	•	•	•	•
Comfort / Convenience						
Keyless Access with Push-button Start System	•	•	•	•	•	•
PIN Code Access	•	•	•	•	•	•
Centre Console Side Pocket (passenger's side)		•	•	•	•	•
Passenger-side Front Tray	•	•	•	•	•	•
Two 12-volt Power Outlets (in glove box and luggage space)	•	•	•	•	•	•
Hands-free Power Rear Gate	Option	Option	•	•	•	•
Cargo Hooks (x4)		•	-	-	-	-
Cargo Hooks (x8)	-	-	•	•	•	•
Lifting and Retractable Cargo-area Cover	•	•	•	•	•	•
Temporary Spare Tyre* ³	•	•	•	•	•	•

Standard on all models:

• Power Windows*4 • Welcome Lighting • One-touch Lane Change Signal • Map Lights • Cargo Light

• Courtesy Door Lights (front) • Vanity Mirror with Cover and Lights (driver and front passenger)

Centre Console Ambient Lighting • Overhead Console Box • Centre Console Box
 2 Front Cup Holders (in centre console) • Door Pockets with Bottle Holders (on all side doors)

• Rear Seat Centre Armrest with 2 Cup Holders

Climate Control						
Dual-zone Automatic Air-conditioning System	•	•	•	•	•	•
Voice-controlled Air-conditioning	•	•	•	•	•	•
Heated Door Mirrors	•	•	•	•	•	•

Standard on all models:

• Rear Ventilation System • Windshield Wiper De-icer • Electric Rear Window Defogger with Timer

Entertainment						
Dual 7-inch Display* ⁵ Audio System with 6 Speakers	•	-	-	-	-	-
11.6-inch Full HD Display Audio System with 6 Speakers	-	•	•	•	•	-
11.6-inch Full HD Display Premium Audio System with 11 Harman/Kardon Speakers + Subwoofer + 8 Channel Amplifier	-	-	Option	Option	Option	•
11.6-inch Full HD Display Audio System with Navigation and 6 Speakers	-	-	Option	-	Ι	-
11.6-inch Full HD Display Premium Audio System with Navigation, 11 Harman/Kardon Speakers + Subwoofer + 8 Channel Amplifier	-	-	-	-	Option	-
Apple CarPlay*6 / Android Auto*7 Infotainment System*8	•	•	•	•	•	•
PIN Code Lock	•	•	•	•	•	٠

STANDARD AND OPTIONAL FEATURES

Item	2.5i-PREMIUM	2.5i-LIMITED EyeSight	2.5i-FIELD EyeSight	2.5i-GEYSER EyeSight	2.5i-TOURING EyeSight	2.4R-XT TOURING EyeSight
		2.5L I	Direct Inje	ection		2.4L Direct Injection Turbo
Steering Wheel-mounted Audio Remote Control Switches	•	•	•	•	•	•
Voice Recognition System	•	•	•	•	•	•
Bluetooth®*° Audio Streaming and Hands-free Phone Connectivity	•	•	•	•	•	•
CD Deck	-	-	-	•	•	•
USB Port (Type-A) and Auxiliary Audio Input Jack (in centre panel)	•	-	-	-	-	-
USB Ports (Type-A and C) and Auxiliary Audio Input Jack (in centre panel)	-	•	•	•	•	•
USB Type-A and C Power Ports behind Centre Console Box	•	•	•	•	•	•
Control / Instruments						
Dual-gauge Layout with Full-colour LCD Meter Display	•	•	•	•	•	•
Tilt-adjustable / Telescopic Steering Wheel	•	•	•	•	•	•
Paddle Shifters	•	•	•	•	•	•
Cruise Control	•	•	•	•	•	•
Aluminium Pedals	-	•	•	•	•	•
Drivability						
SI-DRIVE (SUBARU Intelligent Drive)*10	•	•	•	•	•	•
X-MODE	•	-	-	-	-	-
Dual-function X-MODE	-	•	•	•	•	•
Hill Descent Control	•	•	•	•	•	•
Auto Vehicle Hold	•	•	•	•	•	•
Active Torque Vectoring	•	•	٠	•	•	•
Vehicle Dynamics Control System	•	•	•	•	•	•

Safety						
Front SRS* ¹² Airbags	•	•	•	•	•	
Front Side SRS*12 Airbags (driver and front passenger)	•	•	•	•	•	
Curtain SRS* ¹² Airbags (front and rear, both sides)	•	•	•	•	•	
Knee SRS* ¹² Airbag (driver)	•	•	•	•	•	
Seat Cushion SRS*12 Airbag (front passenger)	•	•	•	•	•	
Steering Responsive Headlights (SRH)	-	•	•	•	•	
Adaptive Driving Beam (ADB)	-	•	•	•	•	
Subaru Rear Vehicle Detection (SRVD)	-	•	•	•	•	
Reverse Automatic Braking (RAB)	-	Option	•	•	•	Τ
Multi View Monitor	-	-	•	•	•	
Rear View Camera	•	•	•	•		

2.5i-FIELD EyeSight 2.5i-TOUR EyeSight

> Direct njection Turbo

> > •

• • • •

۲

2.5i-GEYSER EyeSight

2.5i-LIMITED EyeSight

2.5i-PREMIUM

_

Option Option

۲

Driver Monitoring System Standard on all models:

S

• Seatbelt Indicator • Height-adjustable Seatbelt Anchors (driver and front passenger)

Locking-tongue Front Seatbelts with Pretensioners and Load Limiters

Rear 3-point Seatbelts for 3 Seating Positions
 4-wheel Antilock Braking System (ABS)

Brake Assist System
 Brake Override
 Post-Collision Brake Control

- ISO-FIX Adapted Child Seat Anchors (with tether anchors) Rear Seat Reminder
- Child-proof Rear Door Locks (both sides) Engine Immobiliser

Standard on all models:

Auto Start Stop
 Electronic Parking Brake

EyeSight

Lyesight						
Pre-Collision Braking System	-	•	•	•	•	•
Autonomous Emergency Steering	-	•	•	•	•	•
Adaptive Cruise Control	-	•	•	•	•	•
Lane Centring Control and Preceding Vehicle Adaptive Steering Control	-	•	•	•	•	•
Lane Departure Prevention	-	•	•	•	•	•
Pre-Collision Throttle Management	-	•	•	•	•	•
Lead Vehicle Start Alert	-	•	•	•	•	•
Vibrating Steering Wheel*11	-	•	•	•	•	•
EyeSight Assist Monitor	-	•	•	•	•	•

-	
	*1 Silver Outback logo.
	*2 Green Outback logo.

*3 215/60R17 tyre.

*4 Front side and rear side windows have auto up/down function with pinch protection.

*5 Equipped with WVGA displays.

*6 Apple CarPlay is a trademark of Apple Inc., registered in the U.S. and other countries.

*7 Android and Android Auto are trademarks of Google Inc.
 *8 Apple CarPlay and/or Android Auto may not be available for all models and regions.

*9 Bluetooth is a registered trademark of Bluetooth SIG, Inc. America.

*10 Available with 2-mode SI-DRIVE (Intelligent Mode, Sport Mode).

*11 Can deactivate vibration and switch to audible alarm via 11.6-inch touchscreen display.

*12 SRS: Supplemental Restraint System. Effective when used in conjunction with seatbelts.

Standard and optional features, model lineup may vary according to market. Please contact your local authorised Subaru retailer for more details.

SUBARU CORPORATION 24SS BGE9 2023.10