

THE BAR HAS BEEN **RAISED, AGAIN**

The vehicle that defined a category now redefines what a compact sport-utility vehicle can be. Introducing the completely reimagined Honda CR-V: delivering a wealth of standard features and driver and passenger conveniences. Welcome to the new standard in comfort, style and versatility.





0.000008

10 1 1 1 1





DISPLAY AUDIO TOUCH SCREEN 1,2

This amazing touch panel gives you access to your audio system's controls, equalizer, USB Audio Interface and Bluetooth Hands Free Link, and can also be operated by the steering wheel-mounted controls (RVSi models).

ELECTRIC PARKING BRAKE (EPB)

Simply flip back the small lever next to the shifter to engage, reducing the effort it takes to apply the parking brake and freeing up space on the



center console.

REAR USB PORTS²

Keep your passengers powered up for whatever comes next with dual 2.5-amp USB charging ports in the second row (RVSi models).

PERSONALIZED COMFORT

Every surface, every contour, and every feature has been thoughtfully designed to create a truly superior driving experience in every sense. The new CR-V brings together an impressive collection of features and conveniences, all designed with you in mind.

DUAL-ZONE AUTOMATIC CLIMATE CONTROL With available Dual-Zone Automatic Climate Control. it's easy to keep eve

Climate Control, it's easy to keep everyone comfortable whenever you and your passengers are out and about.



EXCELLENCE IN

The new CR-V delivers more comforts and conveniences than ever, from an available leather-trimmed interior to **EVERY DETAIL** a panoramic roof (RVSi models). Because design that enhances is the Honda way.

POWER TAILGATE WITH PROGRAMMABLE HEIGHT

The Power Tailgate easily opens and closes with the push of a button, and with the tailgate height-adjustability feature, it's customizable for drivers of all sizes (RVSi models).

EASY FOLD-DOWN 60/40 SPLIT REAR SEAT

A rear seat that folds down in one motion means flatter, longer cargo space than ever before. Now you can carry more or make even bigger plans.

MORE ROOM FOR WHAT MATTERS

Generous cargo space becomes even roomier with a fold-flat second row. Whether you're running errands or roaming across the country, the CR-V has room to spare.*

COMMUTE WITH CONFIDENCE

Safety is always a priority for Honda. That is why every CR-V comes equipped with standard safety features designed to keep you and your loved ones comfortable and protected at all times.

NUMBER !!

rest 1125 mitt ma







BACK-UP SENSORS

Sensors on the rear bumper of the CR-V can detect vehicles approaching from either side when backing up. The driver is alerted by an audible chime and arrows in the rearview camera display.

HONDA LANEWATCH³

Signal right and a small camera displays live video on your display audio screen, revealing nearly four times more than the passenger-side mirror alone.



Check Your Surroundings

MULTI-ANGLE REARVIEW CAMERA⁴

Backing up doesn't have to be a guessing game. See more of what's behind you with the Multi-Angle Rearview Camera with dynamic guidelines.

ACE BODY STRUCTURE (ACE)


The ACE body structure is a Honda-exclusive body design that enhances occupant protection and crash compatibility in frontal collisions.





CR-V RVSi model shown in Modern Steel Metallic

COLORS



ACCESSORIES








ENGINE	RVi	RVSi			
ENGINE TYPE	IN-LINE 4-CYLINDER	IN-LINE 4-CYLINDER			
TURBO	4 CTEINDER	4 CTENDER			
ENGINE BLOCK / CYLINDER HEAD	ALUMINUM-	ALUMINUM-			
ENGINE BLOCK / CTLINDER HEAD	ALLOY	ALLOY			
DISPLACEMENT (LITERS / CC)	1.5 / 1498	1.5 / 1498			
HORSEPOWER @ RPM	188 @ 5600	188 @ 5600			
TORQUE (LB-FT @ RPM)	177 @ 2000 - 5000	177 @ 2000 - 5000			
BORE AND STROKE (MM)	73 X 89.5	73 X 89.5			
COMPRESSION RATIO	10.3:1	10.3:1			
VALVE TRAIN	16-VALVE DOHC VTEC	16-VALVE DOHC VTEC			
DIRECT FUEL INJECTION					
DRIVE-BY-WIRE THROTTLE SYSTEM		=			
ECO ASSIST SYSTEM		-			
ELECTRIC PARKING BRAKE (EPB) WITH AUTOMATIC BRAKE HOLD		-			
ACTIVE NOISE CANCELLATION (ANC)		=			
HILL START ASSIST (HSA)		=			
AGILE HANDLE ASSIST (AHA)		=			
REAL TIME AWD WITH INTELLIGENT CONTROL SYSTEM	AVAILABLE	AVAILABLE			
AWD TORQUE DISTRIBUTION MONITOR	-	AVAILABLE			
DIRECT IGNITION SYSTEM WITH IMMOBILIZER		-			
REMOTE ENGINE START	-	=			
TRANSMISSION					
CONTINUOUSLY VARIABLE TRANSMISSION (CVT)		=			
BODY / SUSPENSION / CHASSIS UNIT-BODY CONSTRUCTION					
MACPHERSON STRUT FRONT SUSPENSION		-			
MULTI-LINK DOUBLE WISHBONE REAR SUSPENSION					
MULTI-LINK DOUBLE WISHBONE REAR SUSPENSION VARIABLE RATIO ELECTRIC POWER-ASSISTED		_			
VARIABLE RATIO ELECTRIC POWER-ASSISTED		_			
VARIABLE RATIO ELECTRIC POWER-ASSISTED RACK-AND-PINION STEERING (EPS)					
VARIABLE RATIO ELECTRIC POWER-ASSISTED RACK-AND-PINION STEERING (EPS) STEERING WHEEL TURNS, LOCK-TO-LOCK	2.30	2.30			
VARIABLE RATIO ELECTRIC POWER-ASSISTED RACK-AND-PINION STEERING (EPS) STEERING WHEEL TURNS, LOCK-TO-LOCK STEERING RATIO	2.30 12.30 : 1	2.30 12.30 : 1			
VARIABLE RATIO ELECTRIC POWER-ASSISTED RACK-AND-PINION STEERING (EPS) STEERING WHEEL TURNS, LOCK-TO-LOCK STEERING RATIO TURNING DIAMETER, CURB-TO-CURB (M) POWER-ASSISTED VENTILATED FRONT DISC /	2.30 12.30 : 1 11.40	2.30 12.30:1 11.40			
VARIABLE RATIO ELECTRIC POWER-ASSISTED RACK-AND-PINION STEERING (EPS) STEERING WHEEL TURNS, LOCK-TO-LOCK STEERING RATIO TURNING DIAMETER, CURB-TO-CURB (M) POWER-ASSISTED VENTILATED FRONT DISC / SOLID REAR DISC BRAKES (MM, FRONT / REAR)	2.30 12.30:1 11.40 315/310	2.30 12.30:1 11.40 315/310			
VARIABLE RATIO ELECTRIC POWER-ASSISTED RACK-AND-PINION STEERING (EPS) STEERING WHEEL TURNS, LOCK-TO-LOCK STEERING RATIO TURNING DIAMETER, CURB-TO-CURB (M) POWER-ASSISTED VENTILATED FRONT DISC / SOLID REAR DISC BRAKES (MM, FRONT / REAR) ALLOY WHEELS	2.30 12.30:1 11.40 315/310 17" 235/65	2.30 12.30:1 11.40 315/310 18" 235/60			
VARIABLE RATIO ELECTRIC POWER-ASSISTED RACK-AND-PINION STEERING (EPS) STEERING WHEEL TURNS, LOCK-TO-LOCK STEERING RATIO TURNING DIAMETER, CURB-TO-CURB (M) POWER-ASSISTED VENTILATED FRONT DISC / SOLID REAR DISC BRAKES (MM, FRONT / REAR) ALLOY WHEELS TIRES	2.30 12.30:1 11.40 315/310 17" 235/65 R17104H	2.30 12.30:1 11.40 315/310 18" 235/60 R18103H			
VARIABLE RATIO ELECTRIC POWER-ASSISTED RACK-AND-PINION STEERING (EPS) STEERING WHEEL TURNS, LOCK-TO-LOCK STEERING RATIO TURNING DIAMETER, CURB-TO-CURB (M) POWER-ASSISTED VENTILATED FRONT DISC / SOLID REAR DISC BRAKES (MM, FRONT / REAR) ALLOY WHEELS TIRES FULL-SIZED SPARE TIRE	2.30 12.30:1 11.40 315/310 17" 235/65 R17104H	2.30 12.30:1 11.40 315/310 18" 235/60 R18103H			
VARIABLE RATIO ELECTRIC POWER-ASSISTED RACK-AND-PINION STEERING (EPS) STEERING WHEEL TURNS, LOCK-TO-LOCK STEERING RATIO TURNING DIAMETER, CURB-TO-CURB (M) POWER-ASSISTED VENTILATED FRONT DISC / SOLID REAR DISC BRAKES (MM, FRONT / REAR) ALLOY WHEELS TIRES FULL-SIZED SPARE TIRE EXTERIOR MEASUREMENTS	2.30 12.30:1 11.40 315/310 17" 235/65 R17104H	2.30 12.30:1 11.40 315/310 18" 235/60 R18103H			
VARIABLE RATIO ELECTRIC POWER-ASSISTED RACK-AND-PINION STEERING (EPS) STEERING WHEEL TURNS, LOCK-TO-LOCK STEERING RATIO TURNING DIAMETER, CURB-TO-CURB (M) POWER-ASSISTED VENTILATED FRONT DISC / SOLID REAR DISC BRAKES (MM, FRONT / REAR) ALLOY WHEELS TIRES FULL-SIZED SPARE TIRE EXTERIOR MEASUREMENTS WHEELBASE (MM)	2.30 12.30:1 11.40 315/310 17" 235/65 R17104H	2.30 12.30:1 11.40 315/310 18" 235/60 R18103H			
VARIABLE RATIO ELECTRIC POWER-ASSISTED RACK-AND-PINION STEERING (EPS) STEERING WHEEL TURNS, LOCK-TO-LOCK STEERING RATIO TURNING DIAMETER, CURB-TO-CURB (M) POWRE-ASSISTED VENTILATED FRONT DISC / SOLID REAR DISC BRAKES (MM, FRONT / REAR) ALLOY WHEELS TIRES FULL-SIZED SPARE TIRE EXTERIOR MEASUREMENTS WHEELBASE (MM) LENGTH (MM)	2.30 12.30:1 11.40 315/310 17" 235/65 R17104H 2660 4571	2.30 12.30:1 11.40 315/310 18" 235/60 R18103H 2660 4571			
VARIABLE RATIO ELECTRIC POWER-ASSISTED RACK-AND-PINION STEERING (EPS) STEERING WHEEL TURNS, LOCK-TO-LOCK STEERING RATIO TURNING DIAMETER, CURB-TO-CURB (M) POWER-ASSISTED VENTILATED FRONT DISC / SOLID REAR DISC BRAKES (MM, FRONT / REAR) ALLOY WHEELS TIRES FULL-SIZED SPARE TIRE EXTERIOR MEASUREMENTS WHEELBASE (MM) LENGTH (MM) HEIGHT (MM, 2WD / AWD) WIDTH (MM)	2.30 12.30:1 11.40 315/310 17" 235/65 R17104H 2660 4571 1657/1667	2.30 12.30:1 11.40 315/310 18" 235/60 R18103H 2660 4571 1657/1667			
VARIABLE RATIO ELECTRIC POWER-ASSISTED RACK-AND-PINION STEERING (EPS) STEERING WHEEL TURNS, LOCK-TO-LOCK STEERING RATIO TURNING DIAMETER, CURB-TO-CURB (M) POWER-ASSISTED VENTILATED FRONT DISC / SOLID REAR DISC BRAKES (MM, FRONT / REAR) ALLOY WHEELS TIRES FULL-SIZED SPARE TIRE EXTERIOR MEASUREMENTS WHEELBASE (MM) LENGTH (MM) HEIGHT (MM, 2WD / AWD) WIDTH (MM) TRACK (MM, FRONT / REAR, 2WD [AWD])	2.30 12.30:1 11.40 315/310 17" 235/65 R17104H 2660 4571 1657/1667 1855 1601/1617	2.30 12.30:1 11.40 315/310 18" 235/60 R18103H 2660 4571 1657/1667 1855 1601/1617			
VARIABLE RATIO ELECTRIC POWER-ASSISTED RACK-AND-PINION STEERING (EPS) STEERING WHEEL TURNS, LOCK-TO-LOCK STEERING RATIO TURNING DIAMETER, CURB-TO-CURB (M) POWER-ASSISTED VENTILATED FRONT DISC / SOLID REAR DISC BRAKES (MM, FRONT / REAR) ALLOY WHEELS TIRES FULL-SIZED SPARE TIRE EXTERIOR MEASUREMENTS WHEELBASE (MM) LENGTH (MM) HEIGHT (MM, 2WD / AWD) WIDTH (MM)	2.30 12.30:1 11.40 315/310 17" 235/65 R17 104H 2660 4571 1657/1667 1855 1601/1617 [1598/1613]	2.30 12.30:1 11.40 315/310 18" 235/60 R18103H 2660 4571 1657/1667 1855 1601/1617 [1598/1613]			
VARIABLE RATIO ELECTRIC POWER-ASSISTED RACK-AND-PINION STEERING (EPS) STEERING WHEEL TURNS, LOCK-TO-LOCK STEERING RATIO TURNING DIAMETER, CURB-TO-CURB (M) POWER-ASSISTED VENTILATED FRONT DISC / SOLID REAR DISC BRAKES (MM, FRONT / REAR) ALLOY WHEELS TIRES FULL-SIZED SPARE TIRE EXTERIOR MEASUREMENTS WHEELBASE (MM) LEINGTH (MM) HEIGHT (MM, 2WD / AWD) WIDTH (MM) TRACK (MM, FRONT / REAR, 2WD [AWD]) GROUND CLEARANCE (MM, UNLADEN) (2WD / AWD) CURB WEIGHT (KG, 2WD) [WITH LEATHER]	2.30 12.30:1 11.40 315/310 17" 235/65 R17 104H 2660 4571 1657/1667 1855 1601/1617 [1598/1613] 198/208	2.30 12.30:1 11.40 315/310 18" 235/60 R18103H 2660 4571 1657/1667 1855 1601/1617 [1598/1613] 198/208 [1573]			
VARIABLE RATIO ELECTRIC POWER-ASSISTED RACK-AND-PINION STEERING (EPS) STEERING WHEEL TURNS, LOCK-TO-LOCK STEERING RATIO TURNING DIAMETER, CURB-TO-CURB (M) POWER-ASSISTED VENTILATED FRONT DISC / SOLID REAR DISC BRAKES (MM, FRONT / REAR) ALLOY WHEELS TIRES FULL-SIZED SPARE TIRE EXTERIOR MEASUREMENTS WHEELBASE (MM) LENGTH (MM) HEIGHT (MM, 2WD / AWD) WIDTH (MM) TRACK (MM, FRONT / REAR, 2WD [AWD]) GROUND CLEARANCE (MM, UNLADEN) (2WD / AWD)	2.30 12.30:1 11.40 315/310 17" 235/65 R17104H 2660 4571 1657/1667 1855 1601/1617 [1598/1613] 198/208 1529 1582	2.30 12.30:1 11.40 315/310 18" 235/60 R18103H 2660 4571 1657/1667 1855 1601/1617 [1598/1613] 198/208 [1573] 1616[1625]			
VARIABLE RATIO ELECTRIC POWER-ASSISTED RACK-AND-PINION STEERING (EPS) STEERING WHEEL TURNS, LOCK-TO-LOCK STEERING RATIO TURNING DIAMETER, CURB-TO-CURB (M) POWER-ASSISTED VENTILATED FRONT DISC / SOLD REAR DISC BRAKES (MM, FRONT / REAR) ALLOY WHEELS TIRES FULL-SIZED SPARE TIRE EXTERIOR MEASUREMENTS WHEELBASE (MM) LENGTH (MM) HEIGHT (MM, 2WD / AWD) WIDTH (MM) TRACK (MM, FRONT / REAR, 2WD [AWD]) GROUND CLEARANCE (MM, UNLADEN) (2WD / AWD) CURB WEIGHT (KG, 2WD) [WITH LEATHER] CURB WEIGHT (KG, AWD) [WITH LEATHER]	2.30 12.30:1 11.40 315/310 17" 235/65 R17 104H 2660 4571 1657/1667 1855 1601/1617 [1598/1613] 198/208 1529	2.30 12.30:1 11.40 315/310 18" 235/60 R18103H 2660 4571 1657/1667 1855 1601/1617 [1598/1613] 198/208 [1573]			
VARIABLE RATIO ELECTRIC POWER-ASSISTED RACK-AND-PINION STEERING (EPS) STEERING WHEEL TURNS, LOCK-TO-LOCK STEERING RATIO URNING DIAMETER, CURB-TO-CURB (M) POWER-ASSISTED VENTILATED FRONT DISC / SOLID REAR DISC BRAKES (MM, FRONT / REAR) ALLOY WHEELS TIRES FULL-SIZED SPARE TIRE EXTERIOR MEASUREMENTS WHEELBASE (MM) LENGTH (MM) HEIGHT (MM, 2WD / AWD) WIDTH (MM) TRACK (MM, FRONT / REAR, 2WD [AWD]) GROUND CLEARANCE (MM, UNLADEN) (2WD / AWD) CURB WEIGHT (KG, 2WD) [WITH LEATHER] CURB WEIGHT (KG, AWD) [WITH LEATHER] WEIGHT DISTRIBUTION,	2.30 12.30:1 11.40 315/310 17" 235/65 R17104H 2660 4571 1657/1667 1855 1601/1617 [1598/1613] 198/208 1529 1582	2.30 12.30:1 11.40 315/310 18" 235/60 R18103H 2660 4571 1657/1667 1855 1601/1617 [1598/1613] 198/208 [1573] 1616[1625]			

INTERIOR MEASUREMENTS	RVi	RVSi			
HEADROOM (MM, FRONT / REAR)	1018 / 996	961/974			
LEGROOM (MM, FRONT / REAR)	1050 / 1025	1050 / 1025			
SHOULDER ROOM (MM, FRONT / REAR)	1470 / 1412	1470 / 1412			
HIPROOM (MM, FRONT / REAR)	1400 / 1257	1400 / 1257			
CARGO VOLUME (M ³ / LITERS)	0.99 / 994	0.99 / 994			
PASSENGER VOLUME (M ³ / LITERS)	2.99 / 2999	2.88/2877			
SEATING CAPACITY	5	5			
FUEL & CAPACITY	1	1			
FUEL (LITERS)	57	57			
REQUIRED FUEL	REGULAR UNLEADED	REGULAR UNLEADED			
SAFETY					
VEHICLE STABILITY ASSIST (VSA) WITH TRACTION CONTROL	-	-			
ANTI-LOCK BRAKING SYSTEM (ABS)					
ELECTRONIC BRAKE DISTRIBUTION (EBD) WITH BRAKE ASSIST					
MULTI-ANGLE REARVIEW CAMERA WITH GUIDELINES		-			
DRIVER ATTENTION MONITOR					
LED DAYTIME RUNNING LIGHTS (DRL)		-			
	-				
ADVANCED COMPATIBILITY ENGINEERING (ACE) BODY STRUCTURE		-			
FRONT AIRBAGS (SRS)	=				
FRONT SIDE AIRBAGS	– AVAILABL				
SIDE CURTAIN AIRBAGS	-	AVAILABLE			
3-POINT SEAT BELTS AT ALL SEATING POSITIONS	=				
FRONT 3-POINT SEAT BELTS WITH AUTOMATIC TENSIONING SYSTEM		-			
LOWER ANCHORS AND TETHERS FOR CHILDREN (LATCH): LOWERS ANCHORS (2ND-ROW OUTBOARD), TETHER ANCHORS (2ND-ROW OUTBOARD)	-				
DRIVER'S AND FRONT PASSENGER'S SEAT BELT REMINDER					
CHILD-PROOF REAR DOOR LOCKS					
EXTERIOR FEATURES					
ONE-TOUCH POWER PANORAMIC ROOF WITH TILT FEATURE	-				
FIN-TYPE ROOF-MOUNTED ANTENNA		-			
SMART ENTRY SYSTEM	_				
SECURITY SYSTEM					
REMOTE ENTRY	-				
POWER TAILGATE WITH PROGRAMMABLE HEIGHT					
PROJECTOR-BEAM HALOGEN HEADLIGHTS WITH AUTO-OFF		LED WITH AUTO-ON / OFF			
FOG LIGHTS		LED			
ONE-TOUCH TURN INDICATORS	-				
BODY-COLORED POWER SIDE MIRRORS					
WITH INTEGRATED TURN INDICATORS	•				
POWER FOLDING SIDE MIRRORS					
VARIABLE INTERMITTENT WINDSHIELD WIPERS		-			
REVERSE-LINKED INTERMITTENT REAR WINDOW WIPER / WASHER	-	-			
BODY-COLORED DOOR HANDLES					
BODY-COLORED ROOFLINE SPOILER WITH INTEGRATED BRAKE LIGHT					
PARKING SENSORS	REAR	FRONT AND REAF			

COMFORT & CONVENIENCE	RVi	RVSi	SEATING	RVi	RVSi
DUAL-ZONE AUTOMATIC CLIMATE CONTROL SYSTEM		•	DRIVER'S SEAT WITH 12-WAY POWER ADJUSTMENT,	-	AVAILABLE
HONDA LANEWATCH	-	AVAILABLE	INCLUDING 4-WAY POWER LUMBAR SUPPORT		
PUSH BUTTON START	-		LEATHER-TRIMMED SEATS	_	AVAILABLE
POWER WINDOWS WITH AUTO-UP / DOWN FOR DRIVER'S WINDOW			ADJUSTABLE FRONT SEAT-BELT ANCHORS		-
POWER DOOR AND TAILGATE LOCKS WITH WALK-AWAY AUTO-LOCK FEATURE	-		HEAD RESTRAINTS AT ALL SEATING POSITIONS		-
CRUISE CONTROL			FOLD-DOWN REAR SEATBACK (60 / 40 SPLIT)		
INSTRUMENT PANEL-MOUNTED SHIFTER			AUDIO CONNECTIVITY		
TILT AND TELESCOPIC STEERING COLUMN			160-WATT AUDIO SYSTEM WITH 4 SPEAKERS	-	-
LEATHER-WRAPPED STEERING WHEEL AND SHIFT KNOB			5-INCH COLOR LCD SCREEN	-	-
ILLUMINATED STEERING WHEEL MOUNTED CONTROLS			180-WATT AUDIO SYSTEM WITH 8 SPEAKERS	-	
		-	7-INCH DISPLAY AUDIO TOUCH SCREEN	-	
MULTI-FUNCTIONAL CENTER CONSOLE STORAGE WITH SLIDING ARMREST		-	REAR USB PORTS	-	2.5 A
BEVERAGE HOLDERS (FRONT / REAR)			BLUETOOTH HANDS FREE LINK	-	
GLOVE COMPARTMENT			BLUETOOTH STREAMING AUDIO		
DOOR-POCKET STORAGE BINS (FRONT / REAR)			USB AUDIO INTERFACE IN CENTER CONSOLE	1.0 A	1.0 A AND 1.5 A
DRIVER'S AND FRONT PASSENGER'S SEATBACK POCKETS			SPEED-SENSITIVE VOLUME CONTROL (SVC)	-	
SUNGLASSES HOLDER					
MAP LIGHTS					
AMBIENT LIGHTING		-			
REAR-SEAT CENTER ARMREST					
DRIVER-SIDE GARMENT HOOK					
REMOTE FUEL FILLER DOOR RELEASE					
REAR WINDOW DEFROSTER					
REAR-SEAT HEATER DUCTS					
12-VOLT POWER OUTLETS (FRONT AND CENTER CONSOLE)					
CARGO AREA TIE-DOWN ANCHORS					
CARGO AREA LIGHT					

¹The Hands Free Link interface is only compatible with phones equipped with Bluetooth and hands-free capability. For information on phone makers and models compatible with this system, see your Honda dealer. ² The USB Audio Interface is used to connect directly to and control today's digital audio players and other USB devices that store music files in MP3, WMA or AAC formats. Some USB devices with security software and rights-protected digital files may not work. See your Honda dealer for further details. ³ Display accuracy will vary based on weather, size of object and speed, and the display may not show all relevant traffic. The display is not a substitute for your own direct visual assessment of traffic conditions before changing lanes. ⁴ Always visually confirm that it is safe to drive before backing up; the rearview camera display does not provide complete information about all conditions and objects at the rear of your vehicle. **Honda reminds you and your passengers to always buckle up. Children 12 and under are safest when properly restrained in the rear seat. Always use seat belts and appropriate child seats.** Specifications, features, illustrations and equipment shown are based upon the latest available information at the time of printing. Although descriptions are believed to be correct, accuracy cannot be guaranteed. American Honda Motor Co., Inc. reserves the right to make changes at any time without notice or obligation, in colors, specifications, accessories, materials and models. Some features mentioned herein are not available in all markets. Some Honda accessories may not comply with regional or national laws for retail. See your Honda dealer for details. Some vehicles may be shown with optional equipment. Available = Optional. All images contained herein are either owned by American Honda Motor Co., Inc., or used under a valid license. It is violation of federal law to reproduce these images without express written permission from American Honda Motor Co., Ltd. 2017 American Honda Mot





Locate your Honda distributor by visiting: **hondalatincaribbean.com** Printed in the U.S.A. on recycled paper. 2017 American Honda Motor Co., Inc. 18M KU